TABLE 4: 9.5 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
	characters in length"
"DL BLDG 002	There can only be one space following the first piece of data in BLDG"
"DL BLDG 003	Invalid characters in BLDG: Valid values are A through Z, a through z, 0 through 9, parenthesis, and space"
"DL BLDG 003	The first piece of data in BLDG must be BLDG, WNG, or PIER"
"DL BLDG 900	BLDG prohibited when ADI is "O""
"DL BOX 900	BOX prohibited when ADI is "O""
"DL BRO 003	BRO must be B or R"
"DL BRO 900	BRO not allowed when TOS is residential"
"DL CITY 900	CITY required when DDASN is populated"
"DL DACT 900	DACT must be D when LACT is D and DDQTY is 1"
"DL DACT 900	DACT must be D, I, or Z when LACT is Z and DDQTY is 1"
"DL DACT 900	DACT must be I or O when DDQTY is <DDIQTY>"
"DL DACT 900	DACT must be I or Z when LACT is I and DDQTY is 1"
"DL DACT 900	DACT must be N when LACT is N and DDQTY is 1"
"DL DACT 900	DACT must be N, D or Z when DDQTY is <DDIQTY>"
"DL DACT 900	DACT must be N, D, I, O, or Z"
"DL DACT 900	DACT must be O or Z when LACT is O and DDQTY is 1"
"DL DACT 900	DACT required"
"DL DDALO 900	DDALO prohibited when DDASN is not populated"
"DL DDANO 900	DDANO prohibited when DDASN is not populated"
"DL DDANO 900	DDANO required when DDAPR or DDASF is populated"
"DL DDASD 001	Invalid Value for DDASD"
"DL DDASF 900	DDASF prohibited when DDANO is not populated"
"DL DDASN 900	DDASN required when DDASD, DDATH, or DDASS is populated"
"DL DDASS 001	Invalid Value for DDASS"
"DL DDQTY 003	DDQTY must be 0 or 1"
"DL DDQTY 003	DDQTY must be 0, 1, or 2"
"DL DDQTY 003	DDQTY must match the number of occurences of Delivery Address sections"
"DL DDQTY/DE003	The number of occurences of DELNUM must match DDQTY on DL"
"DL DIRNAME 900	DIRNAME required when NSTN is populated"
"DL DIRNAME 900	DIRNAME required when RTY first char

Error Code	Error Message
	is F"
"DL DIRQTYA 003	DIRQTYA must be zero"
"DL DIRQTYNC900	DIRQTYNC must be zero when DIRQTYA is zero"
"DL DLNUM 001	DLNUM required"
"DL DML 003	DML must be O"
"DL DOI 001	DOI required"
"DL DOI 900	Caption/SLU Indent section prohibited when DOI is 0, 1, or blank"
"DL DOI 900	DOI must be 0 when STYC is SH, SL, or CH"
"DL DOI 900	DOI must be 1 or 2 when STYC is SI"
"DL DOI 900	DOI must be 1 thru 6 when STYC is CS"
"DL DOI 900	DOI must be 1 thru 7 when STYC is CI"
"DL DOI 900	DOI required when ACT is N"
"DL DOI 900	DOI required when LACT is not Z or D"
"DL DOI 900	DOI required when LACT is not Z"
"DL ETYC 001	STYC required"
"DL FAINFO 900	FAINFO required when SO is A"
"DL FAINFO 900	FAINFO required when SO is A"
"DL FANSTN 900	FANSTN prohibited when FATN is populated"
"DL FANSTN 900	FANSTN prohibited when FATN is populated"
"DL FATN 002	FATN invalid format"
"DL FATN 002	FATN invalid format"
"DL FLOOR 900	FLOOR prohibited when ADI is "O""
"DL HADDR 900	HADDR required when STYC is SI and HTN is populated"
"DL HNSTN 900	HNSTN prohibited when HTN is populated"
"DL HNSTN 900	HNSTN required when STYC is SI and HTN is not populated"
"DL HS 001	HS required when doi is greater than zero"
"DL HS 003	HS must be E or N"
"DL HS 003	HS must be E when STYC is SI"
"DL HTN 002	HTN invalid format"
"DL HTN 900	HTN required when STYC is SI and HNSTN is not populated"
"DL IQTY 999	0 more Caption/SLU Indent section(s) must be submitted, number required is 0 (DL.DOI - 1) , no further validation performed"
"DL IQTY 999	0 too many Caption/SLU Indent section(s) submitted, maximum number permited is 0 (DL.DOI - 1) , No further validation performed"
"DL LACT 001	LACT required"
"DL LACT 003	LACT must be N, D, I, O or Z"
"DL LACT 900	Caption/SLU Indent section prohibited when LACT is D or Z"

TABLE 4: 4.8 IMA ERRORS LIST-VERSION 5 (DPL)	
Error Code	Error Message
"DL LACT 900	If LSR.ACT = T, LACT should equal N or Z"
"DL LACT 900	LACT cannot be D when RTY is LML"
"DL LACT 900	LACT cannot be N when LSR.ACT is V and RTY is LML"
"DL LACT 900	LACT cannot be N when RTY is LML unless LSR.ACT is N or T"
"DL LACT 900	LACT cannot be Z when LSR.ACT is C"
"DL LACT 900	LACT must be D when DSR.ACT is D"
"DL LACT 900	LACT must be I, O or Z when DSR.ACT is C or T and RTY is LML"
"DL LACT 900	LACT must be N when DSR.ACT is N"
"DL LACT 900	LACT must be N when LSR.ACT is N or V"
"DL LACT 900	LACT must be N when LSR.ACT is N"
"DL LACT 900	LACT must be N, D, I or O when LSR.ACT is C"
"DL LACT 900	LACT must be N, D, I, Z or O when LSR.ACT is T"
"DL LACT 900	LACT must be Z when DSR.ACT is W"
"DL LACT 999	LACT I or O has no corresponding DL form"
"DL LALOC 900	LALOC prohibited when ADI is "O""
"DL LALOC 900	LALOC required when ADI is blank"
"DL LALOC 900	LALOC required when LASN is populated"
"DL LALOC 900	LALOC required when LASN is populated"
"DL LANO 900	LANO is required when LAPR or LASF is populated"
"DL LANO 900	LANO is required when LAPR or LASF is populated"
"DL LANO 900	LANO prohibited when ADI is "O""
"DL LANO 900	LANO prohibited when LASN is not populated"
"DL LANO 900	LANO prohibited when LASN is not populated"
"DL LAPR 900	LAPR prohibited when ADI is "O""
"DL LASD 001	Invalid Value for LASD"
"DL LASD 900	LASD prohibited when ADI is "O""
"DL LASD 900	LASD prohibited when LASN is not populated"
"DL LASD 900	LASN prohibited when ADI is "O""
"DL LASF 900	LASF prohibited when ADI is "O""
"DL LASF 900	LASF prohibited when LANO is not populated"
"DL LASF 900	LASF prohibited when LANO is not populated"
"DL LASN 900	LASN is required when LASD, LATH, LASS, or LANO is populated"
"DL LASN 900	LASN is required when LASD, LATH, or LASS is populated"
"DL LASS 001	Invalid Value for LASS"
"DL LASS 900	LASS prohibited when ADI is "O""
"DL LASS 900	LASS prohibited when LASN is not

TABLE 6 5.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
	populated"
"DL LAST 900	LAST prohibited when ADI is "O""
"DL LAST 900	LAST prohibited when RTY first char is not F"
"DL LATH 900	LATH prohibited when ADI is "O""
"DL LATH 900	LATH prohibited when LASN is not populated"
"DL LD1 001	Invalid Value for LD1"
"DL LD2 001	Invalid Value for LD2"
"DL LD3 001	Invalid Value for LD3"
"DL LNFN 003	LNFN invalid - '*' must be followed by an alpha character"
"DL LNFN 003	LNFN may not contain a ','"
"DL LNFN 003	LNFN may not contain a ';'"
"DL LNFN 003	LNFN may not contain a '='"
"DL LNFN 003	LNFN may not contain consecutive hyphens"
"DL LNLN 001	LNLN required"
"DL LNLN 003	LNLN invalid - '*' must be followed by an alpha character"
"DL LNLN 003	LNLN may not contain a ','"
"DL LNLN 003	LNLN may not contain a ';'"
"DL LNLN 003	LNLN may not contain a '='"
"DL LNLN 003	LNLN may not contain consecutive hyphens"
"DL LNLN 003	LNLN may not start with a %, . or /"
"DL LNPL 003	LNPL must be L"
"DL LTEXT 900	LTEXT required when DOI greater than zero and LALOC not populated"
"DL LTN 002	LTN invalid format"
"DL LTN 002	LTN invalid format"
"DL LTN 003	LTN (<P->LTN>) cannot equal OTN on Port Service form when LACT is I"
"DL LTN 003	LTN (<P->LTN>) cannot equal OTN on Resale form when LACT is I"
"DL LTN 003	LTN must match DSR.AN when RTY = LML and DSR.ACT is N, D or W"
"DL LTN 003	LTN must match DSR.AN when RTY = LML and LACT is I or Z"
"DL LTN 003	LTN must match DSR.EAN when RTY = LML and LACT is O and DSR.EAN is populated"
"DL LTN 900	LTN prohibited when NSTN is populated"
"DL LTN 900	LTN required when RTY is LAL and NSTN is not populated"
"DL LTN 900	LTN with RTY of LAM and LACT of <PDL->LISTINGCONTROL.LACT[0]> cannot match LTN with RTY of LML and LACT of <ADL[NDXLTN].LISTINGCONTROL.LACT[0]>"
"DL LTN 900	LTN with RTY of LAM and LACT of <PDL->LISTINGCONTROL.LACT[0]> cannot match LTN with RTY of LML and LACT of

Error Code	Error Message
TABLE 4-33 DML ERRORS LIST- VERSION 9 (BPL)	
	<ADL[NDXLTN].LISTINGCONTROL.LACT[0]>"
"DL LTXTY 003	LTXTY must be ADR, CR, EM, XL, TNL, URL, ITX, or TNR"
"DL LTXTY 900	DOI must not be 0 when LTXTY is ITX or ADR"
"DL LTXTY 900	LTXTY required when LTEXT is populated"
"DL LTXTY 900	RTY must be LCR or FCR when LTXTY is CR"
"DL LTXTY 900	RTY must be LEM or FEM when LTXTY is EM"
"DL LTXTY 900	RTY must be LUL or FUL when LTXTY is URL"
"DL LTXTY 900	RTY must be LXL or FXL when LTXTY is XL"
"DL LTXTY 900	STYC must be SI or CI when LTXTY is ITX or ADR"
"DL LTY 001	LTY required"
"DL LTY 003	LTY must be 1, 2 or 3"
"DL LTY 003	LTY must be 1, 2 or 3"
"DL LTY 900	LTY must not be 3 when RTY is LAC, LAM, LAU, LCM, LCR, LEM, LUL, LXL, or when first char of RTY is F"
"DL LTY 900	LTY must not be 3 when RTY is LAC, LCR, LAS, LAU, LXL or when first char of RTY is F"
"DL LTY 900	LTY required when ACT is N"
"DL LTY 900	LTY required when LACT is not Z"
"DL LVL 003	LVL must be 1 thru 6"
"DL LVL 003	LVL out of sequence"
"DL LVL 900	LVL required when DL.DOI is greater than 1"
"DL LVL 999	LVL exceeded number defined in DOI"
"DL NOSL 003	NOSL must be Y"
"DL NSTN 003	NSTN cannot contain Z, z, Q or q"
"DL NSTN 900	NSTN prohibited when DIRNAME is not populated"
"DL NSTN 900	NSTN required when LTN is blank"
"DL OMTN 003	OMTN must be O"
"DL OMTN 900	OMTN prohibited when RTY is LML"
"DL OMTN 900	OMTN required when RTY is LCR and LTEXT starts with 'See '"
"DL OMTN 900	OMTN required when RTY is LXL, LEM, LUL, LCR, XL, CR, FXL, FCR, FEM, FUL, EM, or UL"
"DL OMTN 900	OMTN required when RTY is LXL, LEM, LUL, LCR, XL, CR, FXL, FCR, FEM, FUL, EM, or UL"
"DL PLINFO 900	PLINFO required when PLS is populated"
"DL PLNSTN 900	PLNSTN prohibited when PLS and PLTN are populated"
"DL PLS 003	PLS must be E or N"

TABLE C-94 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
"DL PLS 900	PLS required when LVL is populated"
"DL PLTN 002	PLTN invalid format"
"DL PROF 003	PROF must be Y"
"DL ROOMMAIL002	First character of ROOMMAILSTOP must be capitalized"
"DL ROOMMAIL002	The first piece of data in ROOMMAILSTOP must be followed by one space and then at least one and up to 10 additional valid characters"
"DL ROOMMAIL002	The value following the space in ROOMMAILSTOP must be at least one and up to 10 characters in length"
"DL ROOMMAIL002	There can only be one space following the first piece of data in ROOMMAILSTOP"
"DL ROOMMAIL003	Invalid characters in ROOMMAILSTOP: Valid values are A through Z, a through z, 0 through 9, hyphen, parenthesis, space, and virgule (/)"
"DL ROOMMAIL003	The first piece of data in ROOMMAILSTOP must be APT, LOT, RM, SLIP, UNIT, or SUIT"
"DL ROOMMAIL900	ROOMMAILSTOP prohibited when ADI is "O""
"DL ROUTE 900	ROUTE prohibited when ADI is "O""
"DL RTY 001	RTY required"
"DL RTY 003	Only one RTY value of LML allowed on the DL Forms when LACT is N, D, or Z"
"DL RTY 003	Only two RTY values of LML allowed on the DL Forms when LACTs of I and O are present"
"DL RTY 003	RTY first char must be L or F"
"DL RTY 003	RTY invalid - requires char 3"
"DL RTY 003	RTY invalid - requires chars 2 & 3"
"DL RTY 003	RTY invalid"
"DL RTY 003	RTY must be LML"
"DL SO 003	SO must be A or F"
"DL SO 003	SO must be A or F"
"DL STATE 900	STATE required when DDASN is populated"
"DL STYC 001	STYC is required when ACT is N"
"DL STYC 003	STYC must be SL, SH, SI, or CI"
"DL STYC 003	STYC must be SL, SH, SI, or CI"
"DL STYC 900	Caption/SLU Indent section required when STYC is CI or SI"
"DL STYC 900	STYC is required when LACT is not D or Z"
"DL TMKT 003	TMKT must be O"
"DL TOA 001	TOA required when ACT is N or product is SAL"
"DL TOA 001	TOA required when LACT is not D or Z"
"DL TOA 900	TOA must be B or BP when TOS first

TABLE 4-4.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	Error Message
	char is 1"
"DL TOA 900	TOA must be C, F, L, S, PO, RE, SD, TR or TW when TOS first char is 3"
"DL TOA 900	TOA must be R or RP when TOS first char is 2"
"DL TOA 900	TOA required when TOS first char is 1 or 3"
"DL ZIP 900	ZIP required when DDASN is populated"
"DLR 999	<ERRORMESSAGE>"
"DLR 999	PSP not allowed to request DLR Return"
"DLRACNA 001	ACNA required"
"DLRCARFACCK003	CARFACCKT A Location CLLI must be 8 or 11 characters"
"DLRCARFACCK003	CARFACCKT required when CKTFORMAT is C"
"DLRCARFACCK003	CARFACCKT Z Location CLLI must be 8 or 11 characters"
"DLRCARFACRC003	MSGTRKCKT A Location CLLI must be 8 or 11 characters"
"DLRCCNA 001	CCNA required"
"DLRCKTFORMA0003	CKTFORMAT must be S, T, C or M"
"DLRD/TSENT 001	D/TSENT required"
"DLRMSGTRKCK003	MSGTRKCKT required when CKTFORMAT is M"
"DLRMSGTRKCK003	MSGTRKCKT Z Location CLLI must be 8 or 11 characters"
"DLRSCATEG 003	SCATEG must be L"
"DLRSERNUMCK003	SERNUMCKT required when CKTFORMAT is S"
"DLRTELNUMCK003	TELNUMCKT required when CKTFORMAT is T"
"DLRTXACT 003	TXACT must be A"
"DLRTXNUM 001	TXNUM required"
"DLRTXTYP 003	TXTYP must be L"
"DRS 999	DRS form is required when ACT is N, C, T, V or Z"
"DRS 999	DRS form is required when ACT is N, C, T, V or Z"
"DRSDGOUT 900	DGOUT required when DTKACT is N and ACT is N, V, Z, C or T"
"DRSDIDNUM 900	DIDNUM must be numeric"
"DRSDIDNUM 900	DIDNUM not in sequence"
"DRSDIDNUM 900	DIDNUM required when ACT is N, V, Z, C or T"
"DRSDPULSE 900	DPULSE required when DTKACT is N and ACT is N, V, Z, C or T"
"DRSDSGNL 900	DSGNL required when DTKACT is N and ACT is N, V, Z, C or T"
"DRSDSTN 900	DSTN required when DSTNQ is populated and ACT is N, V, Z, C or T"
"DRSDSTNACT 900	DSTNACT required when DSTNQ is populated and ACT is N, V, Z, C or T"

Error Code		Error Message
"DRSDSTNQ	003	DSTNQ must equal the number of DSTN Sections"
"DRSDSTNQ	900	DSTNQ required when DSTNACT is populated and ACT is N, V, Z, C or T"
"DRSDTK	900	DTK required when ACT is N, V or Z"
"DRSDTKACT	900	DTKACT required when DTK is populated and ACT is N, V, Z, C or T"
"DRSDTKID	900	DTKID required when DTKACT is populated and ACT is N, V, Z, C or T"
"DRSDTNR	900	DTNR must have 10 or 14 digits"
"DRSDTNR	900	DTNR required when DTNRACT is populated and ACT is N, V, Z, C or T"
"DRSDTNRACT	900	DTNRACT required when DTNRQ is populated and ACT is N, V, Z, C or T"
"DRSDTNRQ	900	DTNRQ required when ACT is N, V or Z"
"DSR	001	DL form required"
"DSR	001	DSR form required"
"DSR	001	Listing forms required when ACT is N, T, or V"
"DSR	001	Listing forms required when ACT is N, T, or V"
"DSR	900	DL form are required when ACT is N or T"
"DSR	900	DL form prohibited when ACT is D, M, Z, W, or L"
"DSR	900	DL form prohibited when ACT is W, D, B, L or Z"
"DSR	900	DL form prohibited when ACT is W, D, B, L or Z"
"DSR	900	DL form prohibited when ACT is W, D, B, L, Y or Z"
"DSR	900	DL form prohibited when ACT is W, D, B, L, Y or Z"
"DSR	900	DL form prohibited when ACT is W, D, B, L, Y or Z"
"DSR	900	DL form prohibited when ACT is W, D, B, Z, L, or Y"
"DSR	900	DL form prohibited when ACT is W, D, L or Z"
"DSR	900	DL form required when ACT is N, V, C, or T"
"DSR	900	DL form required when ACT is V"
"DSR	900	Listing forms required when ACT is N"
"DSR	900	Listing forms required when ACT is N"
"DSR	999	DL form is required for this product and activity"
"DSR	999	DL form not allowed for this product and activity"
"DSR	999	DL form not allowed for this product and activity"
"DSR	999	DL form not allowed for this product and activty"

Error Code		Error Message
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form not allowed for this product"
"DSR	999	DL form prohibited for this product"
"DSR	999	DL form prohibited for this product"
"DSR	999	DL form prohibited for this product"
"DSR	999	DL form required for this product and activity"
"DSR	999	DL form required for this product and activity"
"DSR	999	DL form required when ACT is N or V"
"DSR	999	DL form required when ACT is N or V"
"DSR	999	DL form required when ACT is N or V"
"DSR	999	DL form required when ACT is N or V"
"DSR	999	DL form required when ACT is V"
"DSRAACT	001	AACT is required"
"DSRAACT	003	AACT Must be D when ACT is D"
"DSRAACT	003	AACT must be I or O when ACT = T"
"DSRAACT	003	AACT must be I, O or Z when ACT = C"
"DSRAACT	003	AACT must be N when ACT is N"
"DSRAACT	003	AACT must be N, D, I, O, or Z"
"DSRAACT	003	AACT must be Z when ACT is W"
"DSRAACT	999	AACT I or O has no corresponding DSR form"
"DSRAACT	999	AACT I or O has no corresponding DSR form"
"DSRAACT	999	One Service Address must have AACT=O and one Service Address must have AACT=I when SQTY is 2"
"DSRACT	001	ACT is required"
"DSRAFT	001	Invalid Value for AFT"
"DSRAGAUTH	001	AGAUTH must be Y when ACT is W"
"DSRAN	001	AN is required when ACT is N, W, D, C, or T"
"DSRAN	002	AN invalid format"
"DSRCC	001	CC is required"
"DSRCCNA	001	CCNA is required"
"DSRCITY	001	CITY is required"
"DSRDATED	001	DATED is required when AGAUTH is populated"
"DSRDATED	002	DATED invalid format"
"DSRDFAXNO	001	DFAXNO is required"
"DSRDINIT	001	DINIT is required"
"DSRDTELNO	001	DTELNO is required"
"DSRDTSENT	001	D/TSENT required"

TABLE 4-9.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
"DSRDTSENT 002	D/TSENT invalid format"
"DSRDTSENT 002	D/TSENT invalid format"
"DSRDTSENT 002	D/TSENT invalid format"
"DSREAN 002	EAN invalid format"
"DSREAN 003	EAN and AN cannot be the same"
"DSREAN 900	EAN prohibited when ACT is <CTX->ACT>"
"DSRLD1 001	Invalid Value for LD1"
"DSRLD2 001	Invalid Value for LD2"
"DSRLD3 001	Invalid Value for LD3"
"DSRLOCNUM 001	LOCNUM required"
"DSRLOCNUM 002	LOCNUM must be numeric"
"DSRLQTY 003	LQTY must be greater than or equal to zero"
"DSRLQTY 900	DL section required when ACT is N or V"
"DSRLQTY 900	DL section required when ACT is N, V or T"
"DSRLQTY 900	DL section required"
"DSRPON 001	PON is required"
"DSRPON 002	PON must have a minimum of three and a maximum of eleven characters"
"DSRPON 002	PON's last character must be numeric"
"DSRPON 003	Invalid characters in PON: Valid values are 0 through 9 and A through Z (Uppercase Only)"
"DSRREQTYP 001	REQTYP is required"
"DSRSA 900	One and only one Service Addr (SA) Section is allowed when ACT is N, D, or W"
"DSRSA 900	The Service Addr (SA) Section repeats up to two times when ACT is C or T"
"DSRSANO 900	SANO is required when SAPR or SASF is populated"
"DSRSANO 900	SANO not allowed when SASN is not populated"
"DSRSASD 001	Invalid Value for SASD"
"DSRSASN 001	SASN is required"
"DSRSASS 001	Invalid Value for SASS"
"DSRSAST 001	SAST is required"
"DSRSCD 001	SCD required"
"DSRSCD 002	SCD invalid format"
"DSRSCD 003	SCD must not be greater than DTSENT"
"DSRTOS 001	TOS is required for SAL"
"DSRTOS 003	TOS must be 1, 2, or 3 only for SAL"
"EDI 999	Co-provider data file did not pass ISA06/CCNA security validation"
"EMA 999	Error sending EMail"
"EU 001	EU form required"
"EU 001	EU form required"
"EU 001	EU form required"
"EU 001	EU form required"
"EU 001	EU form required"

Error Code		Error Message
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	EU form required"
"EU	001	LOCATION ACCESS SECTION required (<LQTYREQUIRED> section)"
"EU	001	Only <LQTYREQUIRED> LOCATION ACCESS SECTION allowed"
"EU	003	EU form required"
"EU	999	EU form is required for this product"
"EU	999	EU form is required for this product"
"EU	999	EU form is required for this product"
"EU	999	EU form is required for this product"
"EU	999	EU form is required for this product"
"EU	999	EU form is required for this product"
"EU	999	EU form is required for this product"
"EU	999	EU form not allowed for this product"
"EU AAI	001	AAI required when ACT is <CTX->ACT>"
"EU ACC	900	ACC required for service details with IWJKs"
"EU ACC	900	ACC required for service details with Meet Me USOC (VT6NC)"
"EU ACC	900	ACC required for service details with NIDR"
"EU ACC	900	ACC required when ACT is <CTX->ACT>"
"EU AFT	900	Invalid Value for AFT"
"EU AFT	900	Invalid Value for AFT"
"EU AHN	001	AHN required for unnumbered address"
"EU AHN	001	AHN required for unnumbered address"
"EU ANV	003	ANV must be Y or N for CENTREX when LOCNUM is 2"
"EU ANV	003	ANV must be Y or N when LOCNUM is 2"
"EU ANV	003	ANV must be Y or N"
"EU ANV	900	ANV not allowed for this product and activity combination"
"EU BILLCON	900	BILLCON required when no summary bill exists and ACT is <CTX->ACT>"

TABLE 4: 9.0 IMA ERRORS LIST-VERSION 5 (BPL)		
Error Code		**Error Message**
"EU CALA	001	CALA required when ACT is N, V, C, T or M"
"EU CALA	003	Invalid entry in CALA"
"EU CALA	900	CALA required when ZIP is blank"
"EU CITY	001	CITY required when ACT is N, V, C, T or M"
"EU CITY	001	CITY required"
"EU CITY	900	CITY required when BILLNM is populated and ACT is <CTX->ACT>"
"EU CPEMFR	900	CPEMFR required when ACT is <CTX->ACT>"
"EU CPEMOD	900	CPEMOD required when ACT is <CTX->ACT> and CPEMFR is populated"
"EU CPEMOD	900	CPEMOD required when ACT is <CTX->ACT>"
"EU DISCNBR	002	DISCNBR invalid format"
"EU DISCNBR	900	DISCNBR required when REFNUM is populated"
"EU DNUM	003	DNUM must be numeric"
"EU DNUM	003	DNUM must start at 0001"
"EU DNUM	003	DNUM not in sequence for initial order"
"EU DNUM	900	DNUM prohibited when DISCNBR is not populated"
"EU DNUM	900	DNUM required when DISCNBR is populated"
"EU EAN	001	EAN required"
"EU EAN	001	EAN required"
"EU EAN	002	EAN invalid format"
"EU FBI	003	FBI must be D or E"
"EU FBI	900	FBI - AN, BILLNM, SANO, SASN, CITY, STATE and ZIP required when FBI is D"
"EU IWO	003	IWO must be S, U, or W"
"EU LCON	003	LCON: Invalid characters entered: Valid are [letters, space, apostrophe, hyphen]"
"EU LCON	900	LCON required when ACT is <CTX->ACT>"
"EU LCON	900	LCON required when ACT is <CTX->ACT>"
"EU LCON	900	LCON required when ACT is <CTX->ACT>"
"EU LCON	900	LCON required when ACT is N"
"EU LCON	900	LCON required when ACT is V or Z"
"EU LD1	001	Invalid Value for LD1"
"EU LD2	001	Invalid Value for LD2"
"EU LD3	001	Invalid Value for LD3"
"EU LOCNUM	001	LOCNUM required when ACT is N, V, C, T or M"
"EU LOCNUM	001	LOCNUM required when ACT is T"
"EU LOCNUM	001	LOCNUM required"
"EU LOCNUM	003	LOCNUM must be <LOCIDX+1>"
"EU NAME	001	NAME required when ACT is N, V, C, T or M"
"EU NAME	001	NAME required"

Error Code		Error Message
"EU SANO	001	SANO required for numbered addresses"
"EU SANO	900	SANO is required when SAPR or SASF is populated"
"EU SANO	900	SANO is required when SAPR or SASF is populated"
"EU SANO	900	SANO required for numbered addresses"
"EU SASD	001	Invalid Value for SASD"
"EU SASD	001	Invalid Value for SASD"
"EU SASN	001	SASN required when ACT is N, V, C, T or M"
"EU SASN	001	SASN required"
"EU SASN	900	SASN is required when SASD, SATH, or SASS is populated"
"EU SASN	900	SASN is required when SASD, SATH, or SASS is populated"
"EU SASN	900	SASN required when BILLNM is populated and ACT is <CTX->ACT>"
"EU SASS	001	Invalid Value for SASS"
"EU SASS	001	Invalid Value for SASS"
"EU SSN	900	SSN required when no summary bill exists and ACT is <CTX->ACT>"
"EU STATE	001	STATE required when ACT is N, V, C, T or M"
"EU STATE	001	STATE required"
"EU STATE	003	STATE invalid format"
"EU STATE	003	STATE invalid format"
"EU STATE	003	STATE must be alpha"
"EU STATE	900	STATE required when BILLNM is populated and ACT is <CTX->ACT>"
"EU TCID	003	TCID must be numeric"
"EU TCID	003	TCID must be numeric"
"EU TCID	900	TCID required when ACT is D and TCOPT is S or T"
"EU TCID	900	TCID required when ACT is D and TCOPT is T"
"EU TCNAME	900	TCNAME required when ACT is D and TCOPT is S or T"
"EU TCNAME	900	TCNAME required when ACT is D and TCOPT is T"
"EU TCOPT	003	TCOPT must be N, S or T"
"EU TCOPT	900	LS or NP form required when TCOPT is T"
"EU TCOPT	900	PORT SERVICE form required when TCOPT is T"
"EU TCOPT	900	RESALE form required when TCOPT is T"
"EU TCOPT	900	TCOPT can't be populated without DISCNBR is populated"
"EU TCOPT	900	TCOPT required when DISCNBR is populated"
"EU TCPER	002	TCPER invalid format"
"EU TCPER	900	TCPER required when ACT is D and TCOPT is S or T"

TABLE 4: 9.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
"EU TCSECQTY900	TCTOSEC, TCID or TCNAME section required when TCOPT is T"
"EU TCTOPRI 002	TCTOPRI invalid format"
"EU TCTOPRI 900	TCTOPRI required when ACT is D and TCOPT is S or T"
"EU TCTOSEC 002	TCTOSEC invalid format"
"EU TCTOSEC 900	TCTOSEC required when ACT is D and TCOPT is T"
"EU TELNO 002	TELNO invalid format"
"EU TELNO 002	TELNO invalid format"
"EU TELNO 900	TELNO required when ACT is <CTX->ACT>"
"EU TELNO 900	TELNO required when BILLCON is populated and ACT is <CTX->ACT>"
"EU TELNO 900	TELNO required when LCON is populated"
"EU TELNO 900	TELNO required when no summary bill exists and ACT is <CTX->ACT>"
"EU WSOPTELN900	WSOPTELNO required when WSOP is populated"
"EU WSOPTELN900	WSOPTELNO required when WSOP is populated"
"EU WSOPTELN900	WSOPTELNO required when WSOP is populated"
"EU ZIP 001	ZIP required when ACT is N, V, C, T or M"
"EU ZIP 001	ZIP required when ACT=N"
"EU ZIP 003	ZIP must be numeric"
"EU ZIP 900	ZIP required when BILLNM is populated and ACT is <CTX->ACT>"
"EU ZIP 900	ZIP required when CALA is blank"
"EU ZIP 900	ZIP required when CALA is blank"
"EU ZIP 900	ZIP required when CALA is blank"
"FA 999	<ERRORMESSAGE>"
"FA ADDRES 999	Address Validation is not an EXACTMATCH"
"FA ADDRES 999	LOCA Address Validation is not an EXACTMATCH"
"FA ADDRES 999	LOCZ Address Validation is not an EXACTMATCH"
"FA AFT 001	Invalid Value for AFT"
"FA AHN 900	AHN can only be populated if SASN begins with '@'"
"FA AHN 900	AHN cannot be populated if SANO populated"
"FA BOX 900	BOX cannot be populated if SANO populated"
"FA BOX 900	BOX not allowed when SCATEG is I or U"
"FA CALA 003	Invalid entry in CALA"
"FA CCNA 001	CCNA required"
"FA CHAN 900	CHAN required when FACDES is populated"
"FA CITY 900	CITY required when TNADDRCKTIND is A or B"

TABLE 4-9.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
"FA CS 900	CS required when SCATEG is H or D"
"FA D/TSENT 001	D/TSENT required"
"FA ECCKT 900	ECCKT required when SCATEG is U and TNADDRCKTIND is C"
"FA FACTYP 900	FACTYP required when FACDES is populated"
"FA LD1 001	Invalid Value for LD1"
"FA LD2 001	Invalid Value for LD2"
"FA LD3 001	Invalid Value for LD3"
"FA LOCA 900	LOCA required when FACDES is populated"
"FA LOCZ 900	LOCZ required when FACDES is populated"
"FA LOOPCHAR003	LOOPCHAR must be L, N or D"
"FA LOOPCHAR900	LOOPCHAR required when SCATEG is U"
"FA LSO 003	LSO must be numeric"
"FA LSO 900	LSO required when SCATEG is P or I"
"FA LSO 900	LSO required when SCATEG is U and TNADDRCKTIND is C"
"FA NUMPT 900	NUMPT must be 1 or 2 when SCATEG is H or D"
"FA NUMPT 900	NUMPT must be 1 when SCATEG is P, U, or I"
"FA QLR 003	QLR is required"
"FA QLR 003	QLR must be numeric"
"FA QLR 900	QLR must be greater than zero when SCATEG is P, D, H, or I"
"FA QLR 900	QLR must be zero when SCATEG is U"
"FA RLD 999	Address not an exact match"
"FA ROUTE 900	ROUTE cannot be populated if SANO populated"
"FA ROUTE 900	ROUTE not allowed when SCATEG is I or U"
"FA SANO 900	SANO is required when SAPR or SASF is populated"
"FA SASD 001	Invalid Value for SASD"
"FA SASN 900	SASN is required when SASD, SATH, or SASS is populated"
"FA SASN 900	SASN required when TNADDRCKTIND is A or B"
"FA SASS 001	Invalid Value for SASS"
"FA SCATEG 003	SCATEG must be P, D, H, I, or U"
"FA SERCD 900	SERCD required when SCATEG is H or D"
"FA STATE 900	STATE required when TNADDRCKTIND is A or B"
"FA TNADDRCK001	TNADDRCKTIND required"
"FA TNADDRCK900	TNADDRCKTIND must be A or T when SCATEG is P"
"FA TNADDRCK900	TNADDRCKTIND must be A when SCATEG is I, H or D"
"FA TNADDRCK900	TNADDRCKTIND must be A when SCATEG is P or D and TXACT is B"

TABLE 4: 9.4 DSA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
"FA TNADDRCK900	TNADDRCKTIND must be A, T or C when SCATEG is U"
"FA TXACT 003	TXACT must be A or B"
"FA TXNUM 001	TXNUM required"
"FA TXTYP 003	TXTYP must be H"
"FA USOC 900	USOC required when SCATEG is H or D"
"FA WTN 002	WTN invalid format"
"FA WTN 900	WTN required when TNADDRCKTIND is B or T"
"FA ZIP 001	CALA or ZIP required"
"FACXML <C>	<S->SIA MESSAGE>"
"FACXML <C>	<T->TRAN ERROR MESSAGE>"
"FACXML 999	Error parsing outbound message"
"FACXML 999	Error reading xml response from socket"
"FACXML 999	Error reading xml response object"
"FACXML 999	Validation:Error parsing xml request"
"FACXML 999	Validation:Error parsing xml response"
"FID 999	<ERRORMESSAGE>"
"FID 999	Error Reading Fid Formats"
"FV 999	<(*CSRR)->ERRORINFO[0].ERRORMESSAGE>"
"FV 999	<ERRORMESSAGE>"
"FV 999	CSR not found"
"FV 999	CSR too large for Feature Verification Processing - CSR may be retrieved in Pre-Order"
"FV 999	Multiple CSR records found"
"FV 999	Ownership failure - Co-provider does not own telephone number"
"FV 999	Ownership failure - Co-provider does not own telephone number"
"FV 999	Unable to retrieve CSR"
"FV CCNA 001	CCNA required"
"FV CCNA 999	CCNA not authorized to Verify Features"
"FV SAST 001	SAST required"
"FV TN 001	TN required"
"FV TN 002	TN invalid format"
"LQ 999	No Working Lines found at Queried Address"
"LQ 999	No Working Lines found at Queried Address"
"LQ 999	Query failed. Invalid combination of MS (<REQ->MS>) TOS (<REQ->TOS>) and/or NC/NCI (<REQ->NC>/<REQ->NCI>)"
"LQ 999	Query failed. Unable to complete transaction. Please try later. (FA)"
"LQ 999	Query failed. Unable to complete transaction. Please try later. (FA)"
"LQ ADDRES 999	Address Validation is not an EXACTMATCH"
"LQQ 999	<ERRORMESSAGE>"

TABLE 6-9.0 DSA ERRORS LIST-VERSION 4 (BPL)		
Error Code		**Error Message**
"LQQ	999	<NOEXISTMSG>"
"LQQAFT	900	AFT must be A, B, C or D"
"LQQAHN	900	AHN can only be populated if SASN begins with '@'"
"LQQAHN	900	AHN cannot be populated if SANO populetd"
"LQQANH	900	ANH required when TNADDRCKTIND is A and SANO is blank"
"LQQCALA	003	Invalid entry in CALA"
"LQQCCNA	001	CCNA required"
"LQQCITY	900	CITY required when TNADDRCKTIND is A"
"LQQD/TSENT	001	D/TSENT invalid format"
"LQQD/TSENT	001	D/TSENT required"
"LQQDSLSERV	003	DSLSERV must be A"
"LQQLD1	003	Invalid Value for LD1"
"LQQLD2	003	Invalid Value for LD2"
"LQQLD3	003	Invalid Value for LD3"
"LQQMS	001	MS required"
"LQQMS	003	Invalid combination of MS, TOS, NC, and NCI"
"LQQNC	900	NC prohibited when MS is A"
"LQQNC	900	NC required when NCI is populated"
"LQQNCI	900	NCI prohibited when MS is A"
"LQQNCI	900	NCI required when NC is populated"
"LQQQLR	003	QLR must be 1-99"
"LQQQLR	003	QLR must be numeric"
"LQQQUALEXIS	003	QUALEXIST must be Y or N"
"LQQSANO	900	SANO is required when SAPR or SASF is populated"
"LQQSASD	003	Invalid Value for SASD"
"LQQSASF	900	SASF is valid only when SANO is populated"
"LQQSASS	003	Invalid Value for SASS"
"LQQSTATE	900	STATE required when TNADDRCKTIND is A"
"LQQTNADDRCK	001	TNADDRCKTIND required"
"LQQTNADDRCK	003	TNADDRCKTIND must be A or T"
"LQQTOS	900	TOS prohibited when MS is B"
"LQQTOS	900	TOS required when MS is A"
"LQQTXACT	003	TXACT must be A or B"
"LQQTXNUM	001	TXNUM required"
"LQQTXTYP	003	TXTYP must be H"
"LQQWTN	002	WTN invalid format"
"LQQWTN	900	WTN required when TNADDRCKTIND is T"
"LQQZIP/CALA	001	CALA or ZIP required"
"LQQZIP/CALA	001	CALA or ZIP required"
"LS	900	LS form required when ACT is N, C, or M"
"LS	900	LS form required when ACT is N, D, C, T or V"
"LS	900	LS form required when ACT is N, V, C, T or M"
"LS	900	LS form required"

TABLE 4: 5.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
"LS 900	LSNP form required when ACT is V"
"LS 999	LS form is required when ACT is N, C or Z"
"LS CABCONNQ001	CABCONNQTY - Number of Cable Connection Sections can not be 0 when ACT is N"
"LS CABCONNQ001	CABCONNQTY - Number of Cable Connection Sections can not be 0 when ACT is N, V, T or M"
"LS CABCONNQ001	CABCONNQTY - Number of Cable Connection Sections must be 1 when POTSSPLITLOC is I"
"LS CABCONNQ003	CABCONNQTY - Number of Cable Connection Sections must be between 0 and 9"
"LS CABCONNQ003	CABCONNQTY - Number of Cable Connection Sections must be between 0 and 9"
"LS CABCONNQ900	CABCONNQTY must be 0 when POTSSPLITLOC is R"
"LS CABCONNQ900	CABCONNQTY must be zero when POTSSPLIT is populated"
"LS CABCONNQ999	Error fetching rows from NC table"
"LS CFA 003	Facility does not meet availability requirements"
"LS CFA 003	Invalid CFA Format"
"LS CFA 003	Invalid CFA Format; Consecutive Unit Will Exceed 5 Digits"
"LS CFA 003	Invalid data was entered in the CFA and/or ACNA fields"
"LS CFA 003	Invalid data was entered in the CFA and/or ACNA fields"
"LS CFA 003	Invalid data was entered in the CFA and/or ACNA fields"
"LS CFA 003	The consecutive Unit is Unavailable"
"LS CFA 900	CFA and LSR.APOT cannot both be populated when ACT is N, V, C, T or M"
"LS CFA 900	CFA or LSR.APOT required when ACT is N, V, C, T or M"
"LS CFA 900	CFA required when LSR.LST is populated and ACT is N, Z or C"
"LS DISCNUM 900	DISCNUM required when converting a Qwest account to Unbundled Loop and ACT is V"
"LS DISCNUM 999	DISCNUM invalid"
"LS ECCKT 900	ECCKT invalid format"
"LS ECCKT 900	ECCKT required when ACT is D or C"
"LS ECCKT 900	ECCKT required when ACT is D, C or M"
"LS ECCKT 900	ECCKT required when ACT is D, C, T or M"
"LS IWJQ 003	IWJQ must be numeric"
"LS IWJQ 900	IWJQ must be greater than 0 when IWJK

TABLE 4: 5.0 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
	is populated"
"LS IWJQ 900	IWJQ prohibited when IWJK is not populated"
"LS LINESHAR001	LINESHAREDTN required when ACT is C"
"LS LINESHAR002	LINESHAREDTN invalid format"
"LS LINESHAR003	LINESHAREDTN must be 12 characters"
"LS LNA 003	At least one LNA must be D or V when ACT is V"
"LS LNA 003	LNA must be N, C, D, M, T, or V"
"LS LNA 003	LNA must be N, D, V or M"
"LS LNA 003	LNA must equal ACT"
"LS LNA 003	LNA must equal ACT"
"LS LNA 003	LNA must equal ACT"
"LS LNA 003	LNA must equal ACT"
"LS LNA 900	LNA must be D or C when ACT is C"
"LS LNA 900	LNA must be D, N, or V when ACT is V"
"LS LNA 900	LNA must be N when ACT is N"
"LS LNA 900	LNA must be N, C or D when ACT is C"
"LS LNA 900	LNA must be N, D or C when ACT is C"
"LS LNA 900	LNA must be N, D or V when ACT is V"
"LS LNA 900	LNA must be V, N or D when ACT is Z"
"LS LNUM 001	LNUM required when ACT is <CTX->ACT>"
"LS LNUM 003	LNUM must be numeric"
"LS LNUM 003	LNUM must start at 0001"
"LS LNUM 003	LNUM not in sequence"
"LS LOCNUM 001	LOCNUM required when ACT is N, D, Z or C"
"LS LOCNUM 003	LOCNUM must equal 1"
"LS LQTY 001	LQTY required"
"LS NIDR 003	NIDR must be Y"
"LS POTSSPLI001	POTSSPLITLOC required when LNA is N, V or M"
"LS POTSSPLI001	POTSSPLITLOC required when LNA is N, V or M"
"LS POTSSPLI003	An LSR can only contain one meetpoint format"
"LS POTSSPLI003	POTSSPLIT cannot start with VCE"
"LS POTSSPLI003	POTSSPLITLOC must be I or O when product is SHARED LOOP, Central-Office LINE SPLITTING or LOOP SPLITTING"
"LS POTSSPLI003	POTSSPLITLOC must be R "
"LS POTSSPLI900	POTSSPLIT not allowed when CABCONN is populated"
"LS POTSSPLI900	POTSSPLIT not allowed when CABCONNQTY is not equal to 0"
"LS POTSSPLI900	POTSSPLIT not allowed when CABCONNTYP is populated"
"LS POTSSPLI900	POTSSPLIT not allowed when POTSSPLITLOC is R"
"LS POTSSPLI900	POTSSPLIT required when POTSSPLITLOC is O"
"LS SAN 900	SAN required when TOS first char is 3"

Error Code		Error Message
"LS TCID	003	TCID must be numeric"
"LS TCID	900	TCID required when ACT is V and TCOPT is S or T"
"LS TCNAME	900	TCNAME required when ACT is V and TCOPT is S or T"
"LS TCOPT	003	TCOPT must be N, S or T"
"LS TCOPT	900	TCOPT required when ACT is V and LNA is D"
"LS TCPER	002	TCPER invalid format"
"LS TCPER	900	TCPER required when ACT is V and TCOPT is S or T"
"LS TCTOPRI	002	TCTOPRI invalid format"
"LS TCTOPRI	900	TCTOPRI required when ACT is V and TCOPT is S or T"
"LSN	001	LSNP form required"
"LSNBA	003	BA must be A, D or Z"
"LSNBLOCK	003	A blocking value has been selected that must be used in combination with other blocking values"
"LSNBLOCK	003	A combination of blocking values has been selected that cannot be used together"
"LSNBLOCK	003	BLOCK must be A, B, C, D, E, F, G, H, K, M, N or Q"
"LSNBLOCK	900	BLOCK required when BA is A or D and NPT is not D"
"LSNCABCONNQ	001	CABCONNQTY - Number of Cable Connection Sections can not be 0 when ACT is V"
"LSNCABCONNQ	003	CABCONNQTY - Number of Cable Connection Sections must be between 0 and 9"
"LSNCFA	003	Invalid CFA Format"
"LSNCFA	003	Invalid CFA Format; Consecutive Unit Will Exceed 5 Digits"
"LSNCFA	003	The consecutive Unit is Unavailable"
"LSNCFA	900	CFA and LSR.APOT cannot both be populated"
"LSNCFA	900	CFA or LSR.APOT is required when LNA is V"
"LSNCFTN	002	CFTN invalid format"
"LSNCFTN	900	CFTN required when NPT is B"
"LSNCKR	900	CKR required when NPT is A or C"
"LSNECCKT	900	ECCKT invalid format"
"LSNFPI	003	FPI must be A or S"
"LSNIWJQ	900	IWJQ must be greater than 0 when IWJK is populated"
"LSNIWJQ	900	IWJQ prohibited when IWJK is not populated"
"LSNLNA	003	At least one LNA must be V when ACT is V or Z"
"LSNLNA	003	LNA must be D, N, or V"

TABLE 4: 4.0 IMA ERRORS LIST - VERSION 5 (BPL)	
Error Code	**Error Message**
"LSNLNA 003	LNA must be D, N, or V"
"LSNLNA 900	LNA required when ACT is V or Z"
"LSNLNA 900	LNA required when ACT is V"
"LSNLNUM 003	LNUM must be numeric"
"LSNLNUM 003	LNUM not in sequence"
"LSNLNUM 900	LNUM required when ACT is V or Z"
"LSNLPIC 003	The PIC/LPIC fields MUST contain either a four digit numeric code (place zeros in front of all non-four digit codes to make them four digits), or the word "None", or "DFLT""
"LSNLQTY 003	LQTY must be greater than 0"
"LSNNIDR 003	When populated, NIDR must be Y"
"LSNNPT 003	NPT must be A, B, C or D"
"LSNNPT 900	NPT is required when ACT is V or Z and LNA is V"
"LSNNPT 900	NPT must be BLANK when LNA is D"
"LSNNPTG 900	NPTG required when NPT is A or C"
"LSNPORTEDNB<C>	PORTEDNBR invalid format"
"LSNPORTEDNB900	PORTEDNBR required when ACT is V or Z and LNA is not N"
"LSNPORTEDNB900	PORTEDNBR required when ACT is V"
"LSNREFNUM 003	REFNUM must start at 0001"
"LSNRTI 900	RTI required when NPT is A or C"
"LSNSAN 900	SAN required when first character of TOS is 3"
"LSNTCID 003	TCID must be numeric"
"LSNTCID 900	TCID required when ACT is V or Z and TCOPT is T"
"LSNTCID 999	TCID not allowed for ported number ranges"
"LSNTCNAME 900	TCNAME required when ACT is V or Z and TCOPT is T"
"LSNTCNAME 999	TCNAME not allowed for ported number ranges"
"LSNTCOPT 003	TCOPT must be N, S or T"
"LSNTCOPT 900	TCOPT must be N for ported number ranges when LNA is D"
"LSNTCOPT 900	TCOPT required when LNA is D"
"LSNTCPER 002	TCPER invalid format"
"LSNTCPER 900	TCPER required when ACT is V or Z and TCOPT is S or T"
"LSNTCPER 999	TCPER not allowed for ported number ranges"
"LSNTCTOPRI 002	TCTOPRI invalid format"
"LSNTCTOPRI 900	TCTOPRI required when ACT is V or Z and TCOPT is S or T"
"LSNTCTOPRI 999	TCTOPRI not allowed for ported number ranges"
"LSNTDT 900	TDT must be Y when NPT is D"
"LSNTNP <C>	TNP must be between 001 and 999"
"LSNTNP 003	TNP must be numeric"

TABLE 4.9.8 IMA ERRORS LIST-VERSION 9 (BPL)	
Error Code	**Error Message**
"LSNTNP 900	TNP required when NPT is B"
"LSR 999	<ERRORMESSAGE>"
"LSR 999	CCNA/PON/VER Combination Not Found"
"LSR 999	LSR created in a different IMA release"
"LSR 999	LSR ID not found"
"LSR 999	LSR requested belongs to a different Co-Provider"
"LSR 999	No LSR status data found in CRM"
"LSR 999	PON/VER not found"
"LSR 999	Specified Order not found on Service Request"
"LSR 999	Status not available for product type"
"LSR 999	Status of most recent supplement returned"
"LSR<FIELDN>003	<VERIFYCODES> Combination is not valid"
"LSR<FIELDN>999	<FIELDID> appointment date does not match DDD"
"LSR<FIELDN>999	<FIELDID> appointment expired"
"LSR<FIELDN>999	<FIELDID> appointment not selected"
"LSR<FIELDN>999	<FIELDID> appointment time does not match APPTIME"
"LSR<FIELDN>999	<FIELDID> appointment time does not match APPTIME"
"LSR<FIELDN>999	<FIELDID> appointment time does not match APPTIME"
"LSR<FIELDN>999	<FIELDID> database retrieval of pre-order appointment failed (<ERRORMESSAGE>)"
"LSR<FIELDN>999	<FIELDID> is required when appointment is selected"
"LSR<FIELDN>999	<FIELDID> multiple appointments found for <APTCON>"
"LSR<FIELDN>999	<VERIFYCODES> Lookup failed (<ERRORMESSAGE>)"
"LSR<FIELDN>999	Pre-order Appointments are not allowed for the <CTX->PRODUCT> product"
"LSR<FIELDN>999	Valid <FIELDID> entry from Appointment Scheduler is required"
"LSRACNA 001	ACNA required"
"LSRACNA 900	ACNA required when ACT is N, C, or Z"
"LSRACTL 001	ACTL required"
"LSRACTL 900	ACTL required when ACT is N"
"LSRAENG 003	AENG must be Y"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N or V"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N, W or V"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N, W, V or Z"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is N, W, V

TABLE 6: 6.0 IMA ERRORS LIST-VERSION 9 (BPL)	
Error Code	Error Message
	or Z"
"LSRAGAUTH 003	AGAUTH must be Y when ACT is V"
"LSRAGAUTH 003	AGAUTH must be Y when LNA is V"
"LSRAGAUTH 003	AGAUTH must be Y when LSCP is populated"
"LSRAGAUTH 900	AGAUTH required when ACT is C"
"LSRAGAUTH 900	AGAUTH required when ACT is N or V"
"LSRAGAUTH 900	AGAUTH required when ACT is N or Z"
"LSRAGAUTH 900	AGAUTH required when ACT is N"
"LSRAGAUTH 900	AGAUTH required when ACT is N, V or Z"
"LSRAGAUTH 900	AGAUTH required when ACT is N, W or V"
"LSRAGAUTH 900	AGAUTH required when ACT is N, W, V or Z"
"LSRAGAUTH 900	AGAUTH required when ACT is N, W, V or Z"
"LSRAGAUTH 900	AGAUTH required when ACT is V or Z"
"LSRAGAUTH 900	AGAUTH required when ACT is V"
"LSRAGAUTH 900	AGAUTH required when ACT is W or V"
"LSRAGAUTH 900	AGAUTH required when ACT is W, V or Z"
"LSRALBR 003	ALBR must be Y"
"LSRALTIMPCO002	ALTIMPCONTELNO invalid format"
"LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
"LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
"LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
"LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
"LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
"LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
"LSRALTIMPCO900	ALTIMPCON - ALTIMPCONPAGER prohibited when ALTIMPCON is not populated or ALTIMPCONTELNO is populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"

TABLE 4: #4 IMA ERRORS LIST-VERSION 5 (BPL)	
Error Code	**Error Message**
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCON prohibited when IMPCON is not populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is prohibited when ALTIMPCONPAGER is populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated and ALTIMPCONPAGER is not populated"
"LSRALTIMPCO900	ALTIMPCONTELNO is required when ALTIMPCON is populated"
"LSRAN 002	AN invalid format"
"LSRAN 003	AN cannot be a placeholder when ACT is not N"
"LSRAN 003	AN must be 12 or 16 characters"
"LSRAN 900	AN required when ACT is <CTX->ACT>"
"LSRAN 900	AN required"
"LSRAPOT 900	APOT or LST required when ACT is N, V or Z"
"LSRAPPTIME 001	APPTIME required when ACT is N or T"
"LSRAPPTIME 002	APPTIME invalid format"

| TABLE 4-60 IMA ERRORS LIST-VERSIONS (BPL) | |
Error Code	Error Message
"LSRAPPTIME 002	APPTIME invalid format"
"LSRAPPTIME 900	APPTIME prohibited when CHC is N"
"LSRAPPTIME 900	APPTIME prohibited when CHC is N"
"LSRAPPTIME 900	APPTIME required when APTCON is populated"
"LSRAPPTIME 900	APPTIME required when APTCON is populated"
"LSRAPPTIME 900	APPTIME required when CHC is Y"
"LSRAPPTIME 900	APPTIME required when CHC is Y"
"LSRAPTCON 003	APTCON must be blank when LSO populated."
"LSRAPTCON 003	A-Z, a-z, and 0-9 are the only ~valid characters allowed in the APTCON field"
"LSRAPTCON 003	A-Z, a-z, and 0-9 are the only ~valid characters allowed in the APTCON field"
"LSRAPTCON 900	OVERRIDE not allowed in APTCON for this product"
"LSRAPTCON 900	OVERRIDE only used in APTCON when CHC=Y"
"LSRBAN 999	BAN Lookup failed (<ERRORMESSAGE>)"
"LSRBAN1 002	BAN1 invalid format"
"LSRBAN1 003	BAN1 cannot be N unless ACT is N and product is RFR"
"LSRBAN1 003	BAN1 not found"
"LSRBAN2 001	BAN2 required"
"LSRBAN2 002	BAN2 invalid format"
"LSRBAN2 003	BAN2 cannot equal BAN1"
"LSRBAN2 003	BAN2 not found"
"LSRBI1 001	BI1 required"
"LSRBI1 003	BI1 must be L"
"LSRBI2 001	BI2 required"
"LSRBI2 001	BI2 required"
"LSRBI2 003	BI2 must be N"
"LSRCC 001	CC required"
"LSRCC 900	CC required when ACT is V or Z and NPT is D"
"LSRCCNA 001	CCNA required"
"LSRCCNA 001	CCNA required"
"LSRCCNA 001	CCNA required"
"LSRCHC 003	CHC must be Y or N"
"LSRCONVIND 003	CONVIND must be F or P"
"LSRCONVIND 900	CONVIND required when ACT is V or Z"
"LSRCONVIND 900	CONVIND required when ACT is V or Z"
"LSRCONVIND 900	CONVIND required when ACT is V"
"LSRCONVIND 900	CONVIND required when ACT is V"
"LSRD/TSENT 001	D/TSENT required"
"LSRDATED 002	DATED invalid format"
"LSRDATED 900	DATED required when ACT is N or V"
"LSRDATED 900	DATED required when ACT is N or Z"
"LSRDATED 900	DATED required when ACT is N"